

SOII-ASTI-TARDE-2S2010-notas

RA	P1	P2	SUB	SHELL			MFF
922901							0
912903	5.00	1.50	insuficiente	1.2			2.84
922902	7.25	6.25	P2=5.25	3.0			6
912942							0
922803	6.25	1.00	insuficiente	1.2			3.14
62206							0
40191012033	3.75	0.00	insuficiente				1.5
40191012026	4.00	1.00	insuficiente	3.0			2.6
40191012005	6.00	1.50	insuficiente				3
40191012025	6.50	2.50	insuficiente	3.0			4.2
922945	8.50	6.50					6
922908							0
40191012027	7.00	0.75	insuficiente	3.0			3.7
40191012042	10.00	5.25	P1=4.5	6.0			7.3
40191012012	10.00	6.75		10.0			8.7
40191012009	6.75	1.25					3.2
40191012008	3.50	0.00	insuficiente	3.0			2
912913	6.00	3.50	insuficiente	1.2			4.04
40191012015	6.75	8.25	P2=3.75				6
912919	6.50	4.00	p2=sub				4.2
40191012039	6.25	2.00	insuficiente				3.3
40191012040	9.25	6.75		10.0			8.4
40191012002	7.75	7.25	P2=1.5				6
40191012016							0
40191012037	9.00	6.50		6.0			7.4
40191012029	8.50	5.00	insuficiente				5.4
912941	0.00	1.00	insuficiente				0.4
912930	7.25	3.00	insuficiente	1.2			4.34
912327	4.00						1.6
40191012019	4.50	2.25	insuficiente	3.0			3.3
922936	5.75	1.50	insuficiente	0.0			2.9
922937	3.00	2.25	insuficiente	3.0			2.7
40191012003	8.75	7.50					6.5